

20x36 Equipment Shed Material List

Floor- Pressure Treated

3-6x6x14'

4-6x6xx12'

Walls-Hemlock

11-6x6x10' Posts

12-2x12x12' Box Beams

8-2x12x10' Box Beams

1-2x6x16' Top Plate

12-2x6x14' Top Plate & Angle Braces

2-2x6x10' Top Plate

Roof-Hemlock

2-2x10x14' Ridge Pole

1-2x10x12' Ridge Pole

19-2x8x20' Rafters

10-2x8x16' Rafters

2-2x8x12' Fly Blocks

19-2x6x14' Collar ties

2-2x6x12' Gable Nailers

6-1x12x12 Bird blocking-PINE

6-1x8x10' Fly rafters

7-1x4x16' Strapping

28-1x4x12' Strapping

14-1x4x10' Strapping

Temp Bracing/ Extra Lumber

4-2x4x14' Hemlock- Bracing

4-2x4x12' Hemlock- Bracing

8-2x4x10' Hemlock- Bracing

2-1x12x12' Pine- Extra

1-1x4x14' Pine- Extra

Siding-Pine

7-1x12x16'

3-1x12x14'

47-1x12x12'

13-1x12x10'

1-1x10x12'

1-1x6x10

Trim-Pine

2-1x12x14' Fascia

1-1x12x12' Fascia

6-1x12x10' Fascia

2-1x8x14' Fascia

1-1x8x12' Fascia

3-1x7x14' Door Casing

2-1x7x16' Door Casing

2-1x7x12' Door Casing

5-1x4x16' Shadow & Door Trim

5-1x4x14' Shadow & Door Trim

8-1x4x12' Shadow & Corner trim

7-1x4x10 Shadow & Corner Trim



20x36 Equipment Shed Mill-work & Hardware

Hardware

26 - Metal Roof @ 97" Long 13-Metal Roof @ 139" 4-Ridge Cap @126"

15lbs- 16d Framing Nails 15lbs-8d HDG Nails 8 lbs-6D HDG Nails 1200- Roofing screws **Suggested Tools**

Skill Saw or Hand saw

Saw-z-all or chain saw

Hammer

Nail puller (cats paw or crow bar)

25' tape measure

Chalk line

Extension Cord

Tin Snips

Staple gun

Pencil

Speed Square

Four-foot level

Cordless Drill

1/4" drive bit for drill

Razor Knife

Chisel

Ladders

This kit uses large pieces of lumber that must be lifted high above the ground. Assistance from a crane, forklift, or man-lift would greatly help installing rafters and roofing.



24x36 Equipment Shed Material List

Floor- Pressure Treated 7-6x6x14'

Walls-Hemlock

3-6x6x14'Posts

8-6x6x10' Posts

24-2x12x12' Box Beams

3-2x6x16' Nailer & Top Plate

7-2x6x14' Nailer & Top Plate

9-2x6x12' Nailer & Top Plate

2-2x6x10' Nailer & Top Plate

Roof-Hemlock

2-2x10x14' Ridge Pole

1-2x10x12' Ridge Pole

19-2x8x20' Rafters

1-2x8x14' Fly Rafter Blocking

19-2x8x12' Rafters

2-1x12x12' Bird Blocking

2-1x10x12' Bird Blocking

2-1x8x14' Fly Rafters

4-1x8x10' Fly Rafters

10-1x4x16' Roof Strapping

24-1x4x12' Roof Strapping

20-1x4x10' Roof Strapping

Temp Bracing/ Extra Lumber

8-2x4x14' Hemlock- Bracing

3-2x4x10' Hemlock- Bracing

1-2x6x14' Hemlock- Extra

2-1x12x12' Pine- Extra

1-1x4x14' Pine- Extra

Siding-Pine

3-1x12x14'

17-1x12x12'

16-1x12x10'

94-1x12x8'

1-1x10x8'

1-1x6x10'

3-2x8x12' Rip to 3/4"

4-2x8x10' Rip to 3/4"

18-2x8x8' Rip to 3/4"

Trim-Pine

4-1x12x14' Fascia

9-1x12x12' Fascia

2-1x12x8' Fascia

2-1x8x14' Fascia

1-1x8x12' Fascia

3-1x8x14' Rip to 1x7 Door Casing

4-1x8x12' Rip to 1x7 Door Casing

2-1x4x16' Shadow, Door, Corner Trim

8-1x4x14' Shadow, Door, Corner Trim

4-1x4x12' Shadow, Door, Corner Trim

6-1x4x10' Shadow, Door, Corner Trim

5-1x4x8' Shadow, Door, Corner Trim



24x36 Equipment Shed Millwork & Hardware

Hardware

26 - Metal Roof @ 148" Long 13-Metal Roof @ 108" 4-Ridge Cap @126"

15lbs- 16d Framing Nails 15lbs-8d HDG Nails 8 lbs-6D HDG Nails 1400- Roofing screws **Suggested Tools**

Skill Saw or Hand saw

Saw-z-all or chain saw

Hammer

Nail puller (cats paw or crow bar)

25' tape measure

Chalk line

Extension Cord

Tin Snips

Staple gun

Pencil

Speed Square

Four-foot level

Cordless Drill

1/4" drive bit for drill

Razor Knife

Chisel

Ladders

This kit uses large pieces of lumber that must be lifted high above the ground. Assistance from a crane, forklift, or man-lift would greatly help installing rafters and roofing.



24x48 Equipment Shed Material List

Floor- Pressure Treated

4-6x6x14'

4-6x6x12'

Walls-Hemlock

4-6x6x14'Posts

10-6x6x10' Posts

24-2x12x12' Box Beams

12-2x6x16' Nailer & Top Plate

8-2x6x12' Nailer & Top Plate

5-2x6x10' Nailer & Top Plate

Roof-Hemlock

2-2x10x14' Ridge Pole

2-2x10x12' Ridge Pole

25-2x8x20' Rafters

1-2x8x14' Fly Rafter Blocking

26-2x8x14' Rafters & Blocking

25-2x6x12' Collar Ties

4-1x12x12' Bird Blocking

4-1x10x12' Bird Blocking

2-1x8x14' Fly Rafters

4-1x8x10' Fly Rafters

57-1x4x16' Roof Strapping

24-1x4x12' Roof Strapping

Temp Bracing/ Extra Lumber

2-2x4x16' Hemlock- Bracing

10-2x4x14' Hemlock- Bracing

10-2x4x12' Hemlock- Bracing

1-2x8x20' Hemlock- Extra

1-2x6x16' Hemlock-Extra

2-1x12x12' Pine- Extra

Siding-Pine

2-1x12x14'

17-1x12x12'

16-1x12x10'

106-1x12x8'

1-1x10x10'

1-1x6x14'

2-2x8x12' Rip to 3/4"

2-2x8x10' Rip to 3/4"

20-2x8x8' Rip to 3/4"

Trim-Pine

4-1x12x14' Fascia

4-1x12x12' Fascia

2-1x12x8' Fascia

2-1x8x14' Fascia

2-1x8x12' Fascia

4-1x8x14' Rip to 1x7 Door Casing

2-1x8x12' Rip to 1x7 Door Casing

4-1x8x8' Rip to 1x7 Door Casing

2-1x4x16' Shadow, Door, Corner Trim

11-1x4x14' Shadow, Door, Corner Trim

8-1x4x12' Shadow, Door, Corner Trim

6-1x4x10' Shadow, Door, Corner Trim

4-1x4x8' Shadow, Door, Corner Trim



24x48 Equipment Shed Millwork & Hardware

Hardware

34 - Metal Roof @ 148" Long 17-Metal Roof @ 109" 5-Ridge Cap @126" 1-Ridge Cap@48"

15lbs- 16d Framing Nails 8lbs-16D HDG Nails 18lbs-8d HDG Nails 8 lbs-6D HDG Nails 1600- Roofing screws Suggested Tools

Skill Saw or Hand saw

Saw-z-all or chain saw

Hammer

Nail puller (cats paw or crow bar)

25' tape measure

Chalk line

Extension Cord

Tin Snips

Staple gun

Pencil

Speed Square

Four-foot level

Cordless Drill

1/4" drive bit for drill

Razor Knife

Chisel

Ladders

This kit uses large pieces of lumber that must be lifted high above the ground. Assistance from a crane, forklift, or man-lift would greatly help installing rafters and roofing.