



6x14 Weston Potting Shed Material List

Floor- Hemlock

2-4x6x14' Skids
2-2x6x14' Rim Joists
4-2x6x12' Joists
6-1x6x12' Flooring

Walls-Hemlock

1-4x4x16'-Posts
5-4x4x14' Beams / Angle Braces
2-4x4x12' Posts/ Angle Braces
2-4x4x8' Overhang Beams

1-2x4x14' Door headers
5-2x4x12' Nailers
1-2x4x10' Window Studs
2-2x4x8' Nailers/Door Blocking

Roof

4-2x6x14'
2-2x6x12'
1-1x8x14'
6-1x4x14'

Temp Bracing/ Extra Lumber

1-2x4x14' Hemlock Extra
1-1x12x14' Pine- Extra

1-1x4x12' Hemlock Temp Braces
1-1x4x10' Hemlock- Temp Brace
2-1x4x8' Hemlock- Temp Braces

Interior-Pine

2-1x12x10'
2-1x12x8'
1-1x8x10'
1-1x8x8'

Siding-Pine

6-1x12x14'
7-1x12x10'
6-1x12x8'
2-1x10x10'
1-1x10x8'
3-1x8x10'
1-1x8x8'
1-1x6x8'
2-1x4x10'

Battens--Pine- rip to 3/4"

1-2x8x10'
4-2x8x8'

Trim-Pine

1-2x8x16' Fascia
2-2x8x12'
1-1x8x16'

5-2x4x8' Shadow
2-1x4x8'

2-1x4x14' Corner/ Door Trim
3-1x4x12' Door Trim
3-1x4x10' Window Trim

2-1x6x8' Corner Trim

1-1x10x12' Rip to 5" for casing
1-1x10x10' Rip to 5" for casing

1-1x6x10' Rip to 3" for Window stops

1-1x4x12' Rip to 2" for Door Stops



6x14 Weston Potting Shed Mill Work and Hardware

Millwork

JCS 5-0 Double doors(A)- 2 @ 30-1/8"x71-3/8"
JCS RTA 2x3 Cabinet

1-4x2 Ten light Hinged Barn Sash Window
1-2x2 Six light Hinged Barn Sash Window

1- Louvered Vent
1-16" Vent Batten

JCS 5' Ramp
3-2x6x38" Pressure Treated Stringers
6-1x6x58" Pressure Treated decking

Additional Lumber

2-4x8-3/4" CDX Plywood

Corrugated Roofing

5-Pieces of Roofing @86"
5-Pieces of Roofing @42"

1-Pieces of Ridge Cap @ 126"
1-Pieces of Ridge Cap @ 68"

Hardware

8bs-16D Framing Nails
4lbs-16D HDG Galv Nails for trim
8lbs-8D HDG Hand Nails-Galv
4lbs-6D HDG Hand Nails-Galv
10-Closure Board Screws-1-1/2"
350-Roofing Screws

1-1/4" Hex Bit
1-#2 Square Drive Bit

4- Door Hinges -Black
40- Sq Drive Door hinge screws-1-3/4"
1- Black Turn Latch
1- Foot Bolt
1- Chain Bolt
5- Black window Hinges-3"
20Window hinges screws-3/4"
2- Window hooks-6"
4-window hook eyes- 2"

Suggested Tools

Skill Saw or Hand saw Saw-z-all or chain saw
Hammer
Nail puller (cats paw or crow bar)
25' tape measure Chalk line Extension Cord Tin
Snips
Staple gun
Pencil
Speed Square Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips
#3 Square Drive Razor Knife Chisel



10x14 Weston Potting Shed Material List

Floor- Hemlock

2-4x6x14' Skids
1-2x6x16' Blocking
2-2x6x14' Rim Joists
8-2x6x10' Joists
10-1x6x12' Flooring

Walls-Hemlock

6-4x4x16' Posts & Beams
4-4x4x12' Angle Braces Posts
2-4x4x10' Gable Beams

4-2x4x14' Door Studs & Blocking
8-2x4x10' Nailers & Window Framing

Roof

10-2x6x12' -Rafters
2-1x8x14' Ledger Board
10-1x4x14' Roof Strapping

Temp Bracing/ Extra Lumber

1-2x4x14' Hemlock Extra
1-1x12x14' Pine- Extra

4-1x4x12' Hemlock Temp Braces
1-1x4x10' Hemlock- Temp Brace

Interior-Pine

1-1x12x14'
3-1x12x10'
3-1x12x8'
1-1x8x16'

Siding-Pine

5-1x12x16'
6-1x12x14'
2-1x12x12'
12-1x12x10'
1-1x10x14'
3-1x10x14'
1-1x8x14'
1-1x8x12'
3-1x8x10'
2-1x8x8'

Battens--Pine- rip to 3/4"

2-2x8x10'
5-2x8x8'

Trim-Pine

2-2x8x16' Fascia
1-2x8x14'
2-2x8x10'

2-2x4x16' Shadow
1-2x4x12'
2-2x4x10'

3-1x4x14'; Corner/Door /Window Trim
3-1x4x12'
1-1x4x10'
2-1x4x8'

1-1x10x12' Rip to 5" for casing
1-1x10x10' Rip to 5" for casing

1-1x6x10' Rip to 3" for Window stops

1-1x4x12' Rip to 2" for Door Stops



10x14 Weston Potting Shed Mill Work and Hardware

Millwork

JCS 5-0 Double doors(A)- 2 @ 30-1/8"x71-3/8"
JCS 2x3 RTA Cabinet

1-4x2 Ten light Hinged Barn Sash Window
1-2x2 Six light Hinged Barn Sash Window

1- Louvered Vent
1-16" Vent Batten

JCS 5' Ramp
3-2x6x38" Pressure Treated Stringers
6-1x6x58" Pressure Treated decking

Additional Lumber

3-4x8-3/4" CDX Plywood

Corrugated Roofing

6-Pieces of Roofing @133"

6-Pieces of Roofing @38"

1-Pieces of Ridge Cap @ 126"

1-Pieces of Ridge Cap @ 72"

Hardware

8bs-16D Framing Nails
4lbs-16D Galv Nails for trim
10lbs-8D HDG Hand Nails-Galv
4lbs-6D Nails
10-Closure Board Screws-1-5/8"
350-Roofing Screws

1-1/4" Hex Bit
1-#2 Square Drive Bit

4- Door Hinges -Black
40- Sq Drive Door hinge screws-1-3/4"
1- Foot Bolt
1- Chain Bolt
9- Black window Hinges-3"
40 Window hinges screws-3/4"
2- Window hooks-6"
4-window hook eyes- 2"

Suggested Tools

Skill Saw or Hand saw Saw-z-all or chain saw
Hammer
Nail puller (cats paw or crow bar)
25' tape measure Chalk line Extension Cord Tin
Snips
Staple gun
Pencil
Speed Square Four-foot level Cordless Drill
1/4" drive bit for drill
#2 Phillips
#3 Square Drive Razor Knife Chisel



10x16 Weston Potting Shed Material List

Floor- Hemlock

2-6x6x16' Skids
3-2x6x16' Rim Joists
9-2x6x10' Joists
21-1x6x8' Flooring

Walls-Hemlock

3-4x4x16' Beam
1-4x4x14' Posts
3-4x4x12' Posts/Angle Braces
2-4x4x10' Gable Beam

3-2x4x14' Window Framing
6-2x4x10' Nailers
3-2x4x8' Nailers/Door Blocking

Roof

9-2x6x12'
3-2x6x10'
2-1x8x8'
10-1x4x16'

Temp Bracing/ Extra Lumber

1-2x4x16' Hemlock Extra
1-1x12x10' Pine- Extra

2-1x4x14' Hemlock - Temp Braces
1-1x4x12' Hemlock Temp Braces
1-1x4x10' Hemlock- Temp Brace

Interior-Pine

1-1x12x14'
3-1x12x10'
4-1x8x8'
1-1x8x16'

Siding-Pine

7-1x12x14
2-1x12x12'
16-1x12x10'
6-1x12x8'
1-1x10x10'
5-1x8x10'
1-1x8x8'

Battens--Pine- rip to 3/4"

2-2x8x10'
5-2x8x8'

Trim-Pine

3-2x8x10' Fascia
2-2x8x12'

3-2x4x10' Shadow
3-2x4x8'

2-1x8x10' Rear Fascia

1-1x4x12' Corner Trim
4-1x4x10' Rear Shadow/Corner & Window trim
5-1x4x8' Rear Shadow/ Window & Door Trim

1-1x10x14' Rip to 5" for casing
1-1x10x10' Rip to 5" for casing

1-1x6x10' Rip to 3" for Window stops
1-1x4x12' Rip to 2" for Door Stops

Interior Cabinet-Pine

1-1x12x8'
1-1x10x14'
1-1x6x10'
1-1x6x14' Rip to 3"
3-1x6x10' Rip to 3"
1-1x4x8'
1-1x4x6' Rip to 2"



10x16 Weston Potting Shed Mill Work and Hardware

Millwork

JCS 5-0 Double doors(A)- 2 @ 30-1/8"x71-3/8"

JCS Cabinet Doors-2@23-5/8"x25"

with 1x2 Z brace on back

1-4x2 Ten light Hinged Barn Sash Window

1-2x2 Six light Hinged Barn Sash Window

1- Louvered Vent

1-16" Vent Batten

JCS 5' Ramp

3-2x6x38" Pressure Treated Stringers

Additional Lumber

3-4x8-3/4" CDX Plywood

Corrugated Roofing

6-Pieces of Roofing @139"

6-Pieces of Roofing @42"

2-Pieces of Ridge Cap @ 126"

Hardware

8bs-16D Framing Nails

4lbs-16D Galv Nails for trim

10lbs-8D HDG Hand Nails-Galv

4lbs-6D Nails

10-Closure Board Screws-1-1/2"

350-Roofing Screws

1-1/4" Hex Bit

1-#2 Square Drive Bit

4- Door Hinges -Black

40- Sq Drive Door hinge screws-1-3/4"

1- Foot Bolt

1- Chain Bolt

9- Black window Hinges-3"

40 Window hinges screws-3/4"

2- Window hooks-6"

4-window hook eyes- 2"

2-3"Exterior Screws

2-1/4" Washers

Suggested Tools

Skill Saw or Hand saw Saw-z-all or chain saw

Hammer

Nail puller (cats paw or crow bar)

25' tape measure Chalk line Extension Cord Tin

Snips

Staple gun

Pencil

Speed Square Four-foot level Cordless Drill

1/4" drive bit for drill

#2 Phillips

#3 Square Drive Razor Knife Chisel